IC0805A333R-10

UNCONTROLLED DOCUMENT


PHYSICAL DIMENSIONS:

A 2.00 [.079] ± 0.20[.008]

B 1.25 [.049] ± 0.20[.008]

C 1.25 [.049] ± 0.20[.008]

D 0.50 [.020] $\stackrel{+}{-}$ 0.30[.012]




NOTES: UNLESS OTHERWISE SPECIFIED

- 1. TAPED AND REELED per CURRENT EIA SPECIFICATIONS 7" REELS, 2000 PCS/REEL, EMBOSSED PLASTIC TAPE.
- 2. TERMINATION FINISH IS 100% MATTE Sn OVER Ni.
- 3. COMPONENTS SHOULD BE ADEQUATELY PREHEATED BEFORE SOLDERING.
- 4. I (MAX.) IS BASED ON THE MAXIMUM SUSTAINED CURRENT APPLIED WHILE MAINTAINING A MAXIMUM TEMPERATURE RISE OF 40°C OVER AMBIENT.
- 5. I (OPERATING) IS BASED ON THE MAXIMUM SUSTAINED CURRENT APPLIED WHILE MAINTAINING A MINIMUM INDUCTANCE (L).
- 6. OPERATING TÈMP. RANGE: -40°C~+125°C. (INCLUDING SELF-HEATING)

ELECTRICAL CHARACTERISTICS:


	36,300	Max			
L (nH) ± 10%	33,000	Nom			
	29,700	Min@ 5 mA			
Q (Min)	30				
Freq. (MHz)	.4				
Self-Resonant Freq (MHz)	13				
DCR(Max)	1.25				
l (Max)	100mA				
I (Operating)	5 mA				

LAND PATTERNS FOR REFLOW SOLDERING



(For wave soldering, add 0.762[.030] to this dimension)

RECOMMENDED SOLDERING CONDITIONS





DIMENSIONS ARE IN mm [INCHES]. This print is the property of Laird			d						
				Tech, and is loaned in confidence subject to return upon request of			_		= "
				with the understanding that no	JI IU	Laird			
				copies shall be made without the		L	a	▋▋፟፟፟፟፟፟	
				written consent of Laird Tech. Al rights to design or invention are					
				reserved.					
				PROJECT/PART NUMBER:	REV	v	PART TY	PE:	DRAWN BY:
С	ADD OPERATING TEMPERATURE UPDATE LAIRD LOGO AND REFLOW CURVE	08/05/13	QU	IC0805A333R-10		C co		FIRE	JRK
В	UPDATE COMPANY LOGO	06/19/08	JRK	DATE: 01/02/07	SCALE:	ALE: NTS		SHEET:	
Α	ORIGINAL DRAFT	01/02/07	JRK		rool #			_	
REV	DESCRIPTION	DATE	INT	^{CAD} *IC0805A333R-10-C	100L p	-	-	2	of 2