# Notice for TAIYO YUDEN products

Please read this notice before using the TAIYO YUDEN products.

## REMINDERS

Product information in this catalog is as of October 2012. All of the contents specified herein are subject to change without notice due to technical improvements, etc. Therefore, please check for the latest information carefully before practical application or usage of the Products.

Please note that Taiyo Yuden Co., Ltd. shall not be responsible for any defects in products or equipment incorporating such products, which are caused under the conditions other than those specified in this catalog or individual specification.

- Please contact Taiyo Yuden Co., Ltd. for further details of product specifications as the individual specification is available.
- Please conduct validation and verification of products in actual condition of mounting and operating environment before commercial shipment of the equipment.
- All electronic components or functional modules listed in this catalog are developed, designed and intended for use in general electronics equipment.(for AV, office automation, household, office supply, information service, telecommunications, (such as mobile phone or PC) etc.). Before incorporating the components or devices into any equipment in the field such as transportation,( automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network (telephone exchange, base station) etc. which may have direct influence to harm or injure a human body, please contact Taiyo Yuden Co., Ltd. for more detail in advance. Do not incorporate the products into any equipment in fields such as aerospace, aviation, nuclear control, submarine system, military, etc. where higher safety and reliability are especially required.

In addition, even electronic components or functional modules that are used for the general electronic equipment, if the equipment or the electric circuit require high safety or reliability function or performances, a sufficient reliability evaluation check for safety shall be performed before commercial shipment and moreover, due consideration to install a protective circuit is strongly recommended at customer's design stage.

- The contents of this catalog are applicable to the products which are purchased from our sales offices or distributors (so called "TAIYO YUDEN's official sales channel").
  It is only applicable to the products purchased from any of TAIYO YUDEN's official sales channel.
- Please note that Taiyo Yuden Co., Ltd. shall have no responsibility for any controversies or disputes that may occur in connection with a third party's intellectual property rights and other related rights arising from your usage of products in this catalog. Taiyo Yuden Co., Ltd. grants no license for such rights.
- Caution for export

  Certain items in this catalog may require specific procedures for export according to "Foreign Exchange and Foreign Trade Control Law" of Japan, "U.S. Export Administration Regulations", and other applicable regulations. Should you have any question or inquiry on this matter, please contact our sales staff.

## CYLINDER TYPE POLYACENE CAPACITORS



WAVE


#### **FEATURES**

- Polyacene Capacitors can store a large number of ions into its amorphous structure (doping), therefore Polyacene Capacitors has much larger capacitance than conventional electric double layer capacitors.
- Quick-charge with ampere measure is possible with its Low internal resistance.
- Possible to charge/discharge more than 100,000 times with less deterioration caused by charging/discharging compared to secondary battery which involves chemical reaction, and that enables to more than 100,000 times charge/discharge and large excellence of durability for over charge/discharge.
- Polyacene Capacitors is environmentally friendly power source, which does not contain any heavy metals such as Cd,Hg and Pb. (RoHS compliant)


#### APPLICATIONS

- Back-up power source for CPU, microcomputer, and flash memory writing when shutting off the power.
- Load change leveling (life lengthening of main power source such as dry battery, Lithium primary battery)
- Power source storage combined with solar cell, fuel cell, generator, and so on.
- Main power source for small devices (Measuring equipments, toys and so on).

#### ORDERING CODE



#### **EXTERNAL DIMENSIONS**



Part	φυ	L	φα	Р	
Low ESR type	PAS0815LS2R5105	8.0	15.0	0.6	3.5
(LS series)	PAS1016LS2R5205	10.0	16.0	0.6	5.0
	PAS0815LA2R5205	8.0	15.0	0.6	3.5
	PAS1020LA2R5475	10.0	20.0	0.6	5.0
	PAS1220LA2R5106	12.5	20.0	0.6	5.0
Large Capacitance	PAS1235LA2R5206	12.5	35.0	0.6	5.0
type (LA series)	PAS1020LA3R0405	10.0	20.0	0.6	5.0
	PAS1220LA3R0905	12.5	20.0	0.6	5.0
	PAS1235LA3R0206	12.5	35.0	0.6	5.0
	PAS1840LA3R0506	18.0	40.0	0.8	8.0

Unit : mm

## PART NUMBERS

Part	Part Number		Nominal Capacitance (F)	Internal Resistance (mΩ)	
Low ESR type	PAS0815LS2R5105	2.5	1	70	
(LS series)	PAS1016LS2R5205	2.5	2	50	
	PAS0815LA2R5205		2	700	
	PAS1020LA2R5475	2.5	4.7	200	
	PAS1220LA2R5106	2.5	10	150	
Large Capacitance type	PAS1235LA2R5206		20	100	
(LA series)	PAS1020LA3R0405		4	300	
	PAS1220LA3R0905	2.0	9	200	
	PAS1235LA3R0206	3.0	20	100	
	PAS1840LA3R0506		50	70	

<sup>▶</sup> This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

## LS Series -

## **■** SPECIFICATIONS

Part Number	Operating Temp. Range (°C)	Max. Usable Voltage (V)	Initial Capacitance (F)	Initial Internal Resistance (mΩ)	Temperature Characteristics
PAS0815LS2R5105	- −25~+70	0.5	1.0±20%	Under 70	Lowest temperature (-25°C) Capacitance : Over 70% of initial spec. Internal Resistance : Within 4 times of initial spec.
PAS1016LS2R5205		2.5	2.0±20%	Under 50	Highest temperature (70°C)  Capacitance, Internal Resistance : Within initial spec.


#### LA Series -

## SPECIFICATIONS

Part Number	Operating Temp. Range (°C)	Max. Usable Voltage (V)	Initial Capacitance (F)	Initial Internal Resistance (mΩ)	Temperature Characteristics
PAS0815LA2R5205	<b>−25~+70</b> 2.5	2.0±20%	Under 700	Lowest temperature (-25°C)	
PAS1020LA2R5475		4.7±20%	Under 200	Capacitance : Over 70% of initial spec. Internal Resistance : Within 4 times of initial spec.	
PAS1220LA2R5106		2.5	10±20%	Under 150	Highest temperature (70°C)
PAS1235LA2R5206			20±20%	Under 100	Capacitance, Internal Resistance: Within initial spec.
PAS1020LA3R0405			4.0±20%	Under 300	Lowest temperature (-25°C)
PAS1220LA3R0905	<b>−25∼+60</b> 3.0	9.0±20%	Under 200	Capacitance : Over 70% of initial spec. Internal Resistance : Within 4 times of initial spec.	
PAS1235LA3R0206		3.0	20±20%	Under 100	Highest temperature (60°C)
PAS1840LA3R0506				Under 70	Capacitance, Internal Resistance : Within initial spec.

### PACKAGING

## ①Minimum Packing Unit (Plastic Bag)



Item	Minimum Packing Unit	Standard Inner Packing Box quantity		
PAS0815	200	10bags	2000	
PAS1016	200	10bags	2000	
PAS1020	100	15bags	1500	
PAS1220	100	10bags	1000	
PAS1235	50	10bags	500	
PAS1840	10	20bags	200	

Standard Inner Packing Box 200mm(W)×330mm(L)×140mm(H)

## RELIABILITY DATA

Items	Specifications			Test Conditions, Remark
iteriis	LS Series	LAS	eries	Test Conditions, Remark
1. Operating Temperature range	-25~	+70°C	-25~+60°C	
2. Max. Usable Voltage	2.5V	2.5V	3.0V	
3. Floating Charge Characteristics	Capacitance : Over 70% of initial spec. Internal Resistance : Within 4 times of initial spec. Appearance : No noticeable abnormality		f initial spec.	Apply a max. usable voltage to capacitor for 1000 hours at max. operating temp. and measure the floating charge characteristics after returning to normal temperature and humidity.
Charge/Discharge Cycle     Characteristics	Capacitance : Over 70% of initial spec. Internal Resistance : Within 4 times of initial spec. Appearance : No noticeable abnormality		f initial spec.	Measure the charge/discharge cycle characteristics after 10000 charge/discharge cycle at 25±5°C with under mentioned charge/discharge cycle test condition for each parts.
5. Thermal Durability	Capacitance Internal Resistance Appearance	Internal Resistance: Within initial spec.		Leave the capacitor in an atmosphere of Max Operationg Temperature ±2°C and -25±2°C consecutively for 96 hours each, and return to normal temperature and humidity.
6. Humidity Durability	Capacitance : Within initial spec. Internal Resistance : Within 4 times of initial spec. Appearance : No noticeable abnormality		f initial spec.	Temperature : $40\pm2^{\circ}$ C, Humidity : $90\sim95\%$ RH Leave the capacitor for 500 hours, and return to normal temperature and humidity.
7. Impact Durability	No exterior abnormality observed : initial spec. values retained			Accorging to JIS C 0041 Sine half wave A=294
8. Vibration Durability	No exterior abnormality observed : initial spec. values retained			Apply a sine wave vibration of 1.5mm amplitude and frequency 10~55Hz, for 2 hours per each direction (X, Y and Z), total 6 hours.
9. Solder Heat Resistance	Capacitance Internal Resistance Appearance	al Resistance : Within initial spec.		Material : Sn-3Ag-0.5Cu Solder bath temperature : 260±5°C Dipping time : 10±1 sec. Dipping depth : 1.5∼2mm from cell body

### Charge/Discharge Cycle Test Condition


Part Number	PAS0815 LS2R5105	PAS1016 LS2R5205	PAS0815 LA2R5205	PAS1020 LA2R5475	PAS1220 LA2R5106	PAS1235 LA2R5206	PAS1020 LA3R0405	PAS1220 LA3R0905	PAS1235 LA3R0206	PAS1840 LA3R0506
Charging Voltage (V)	2.5	2.5	2.5	2.5	2.5	2.5	3.0	3.0	3.0	3.0
Charging Time (s)	10	10	10	10	10	10	30	30	30	30
Max. Charging Current (A)	1	1	1	1	1	1	2	3	5	10
Discharging Current (A)	1	1	1	1	1	1	0.5	1	1	2
Cut off Voltage (V)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

<sup>▶</sup> This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) .

## CYLINDER TYPE PAS CAPACITOR

## ■PACKAGING

## 1)Minimum Packing Unit (Plastic Bag)



Item	Minimum Packing Unit	Standard Inner Pa	cking Box quantity
PAS0815	200	10 bags	2000
PAS1016	200	10 bags	2000
PAS1020	100	15 bags	1500
PAS1220	100	10 bags	1000
PAS1235	50	10 bags	500
PAS1840	10	20 bags	200

Standard Inner Packing Box  $200mm(W) \times 330mm(L) \times 140mm(H)$ 

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

## CYLINDER TYPE PAS CAPACITOR

## ■RELIABILITY DATA

1. Operating Temper	erature range							
0 10 11/1	LR Series  LA Series		05 1	2202				
Specified Value			−25 <b>~</b> +	60°C				
2. Max. Usable Volt	age							
	LR Series	2	2.3V					
Specified Value	LA Series		2.3V 3.0V					
3. Floating Charge	Characteristics							
	LR Series		Capacitar	nce	: Over 70%	of initial spec.		
Specified Value	LA Series		nternal F Appearan	Resistance ce		imes of initial sp able abnormality		
Test Methods and Remarks	Apply a max. usable voltage to ca and measure the floating charge of	-		-		ure and humidity	<b>/</b> .	
4. Charge/Discharg	ge Cycle Characteristics	·						
	LR Series	(	Capacitance : Over 70% of initial spec.					
Specified Value	LA Series		nternal F Appearan	Resistance ce		mes of initial sp able abnormalit		
	Leave the capacitor in an atmosp and humidity. Charge/Discharge Cycle Test Co		±2°C and	d −25±2°0	C consecutively	for 96 hours e	ach, and return	to normal temp
	Part Number	PAS081 LR2R31		PAS1016 R2R3205	PAS0815 LA2R3185	PAS1020 LA2R3475	PAS1220 LA2R3106	PAS1235 LA2R3226
	Charging Voltage (V)	2.3		2.3	2.3	2.3	2.3	2.3
	Charging Time (s)	10		10	10	10	10	10
	Max. Charging Current (A)	1		1	1	1	1	1
T . M .: .	Discharging Current (A)	1		1	1	1	1	1
Test Methods and Remarks	Cut off Voltage (V)	1.5		1.5	1.5	1.5	1.5	1.5
Nemai KS		PAS184		PAS1020 _A3R0405	PAS1220 LA3R0905	PAS1235 LA3R0206	PAS1840 LA3R0506	
	Part Number	LA2R35				3	3	_
	Part Number Charging Voltage (V)	LA2R35 2.3		3	3	"		
				30	30	30	30	_
	Charging Voltage (V)	2.3					<u> </u>	<del>-</del> -
	Charging Voltage (V) Charging Time (s)	2.3		30	30	30	30	_ _ _

5. Thermal Durabilit	у					
	LR Series	Capacitance	: Within initial spec.			
Specified Value	LA Series	Internal Resistance	: Within iniial spec.			
	LA Series	Appearance	: No noticeable abnormality			
Test Methods and Remarks	, , , , , , , , , , , , , , , , , ,					
6. Humidity Durabili	ty					
	LR Series	Capacitance	: Within initial spec.			
Specified Value	LA Series	Internal Resistance	: Within 4 times of initial spec.			
	LA Series	Appearance	: No noticeable abnormality			
Test Methods and Remarks	Temperature : 40±2°C, Humidity : 90~95%R	H Leave the capacitor for	500 hours, and return to normal temperature and humidity.			

<sup>►</sup> This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

7. Impact Durability	,			
0 'C 17/1	LR Series	LR Series		
Specified Value	LA Series		No exterior abnormalit	y observed : initial spec. values retained
Test Methods and Remarks	Accorging to JIS C 0041 Sine half wave A=294			
8. Vibration Durabil	ity			
C:61 \/-!	LR Series  LA Series		NIti	and the same of th
Specified Value			No exterior abnormality observed : initial spec. values retained	
Test Methods and Remarks	Apply a sine wave vibration of	f 1.5mm amplitu	de and frequency 10~5	5Hz, for 2 hours per each direction (X, Y and Z), total 6 hours.
9. Solder Heat Resi	stance			
	LR Series		Capacitance	: Within initial spec.
Specified Value	LA Series		Internal Resistance Appearance	: Within initial spec. : No noticeable abnormality
	Material	: Sn-3Ag-0	).5Cu	
Test Methods and	Solder bath temperature	: 260±5°C		
Remarks	Dipping time	: 10±1 sed	= -	
	Dipping depth	4 = 0	n from cell body	

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

## CYLINDER TYPE PAS CAPACITOR

#### **■**PRECAUTIONS

#### 1. Use under the maximum usable voltage

If over maximum usable voltage is applied, it might cause abnormal current flow, which shorten lifetime and sometimes damage PAS capacitor.

#### 2. Use under maximum operating temperature

Not only shorter life time but also leakage and damage will happen by increasing internal pressure if PAS capacitor use in over max operating temperature.

#### 3. Limited life time

Lifetime of PAS capacitor is greatly affected by surrounding temperature. 10°C drop in temperature extend its expected lifetime approximately twice as much. Design a circuit under consideration of deterioration of electrical characteristics after long time usage, decreasing in capacitance and increasing in internal resistance.

#### 4. The electrical characteristics of capacitors vary with respect to temperature

The electrical characteristics of PAS capacitors temporarily vary with respect to temperature separately from secular change mentioned above. Design a circuit under consideration of temperature characteristics.

#### 5. PAS capacitor has polarity

PAS capacitor has polarity. Please check the polarity before use. It will be damaged if it is reversely charged.

#### 6. Mind high ripple current or rapid charge / discharge

In circuit with high ripple current or rapid charge / discharge, the lifetime of PAS capacitors might be shortened by self-heating.

#### 7. Mind voltage drop when discharging

When back-up (discharging) starts, voltage drop because of active current and internal resistance.

#### 8. Series connection

In case of using PAS capacitor in series connection, the voltage of each capacitor is not always equal and it may be occurred excessive voltage in a part of capacitor, which may lead to shortening lifetime and breakdown. Take a margin against a rated voltage or add a balancing resister.

#### 9. PAS capacitor has the pressure release vent

In case of inside pressure of capacitor excessively rising, the pressure release vent will be opened in order to release inner gas. Following clearance (Diameter $\leq \phi$  18: over 2mm, Diameter $\geq \phi$  18: over 3mm) should be made above the pressure release vent.

Don't set up wiring or a pattern in the upper part of the pressure release vent, so that the high temperature gas is gushed when the pressure release vent open.

The product which open the pressure release vent can not use.

### 10. The sleeve of the PAS capacitor is not guaranteed insulation

Short circuit might happen if circuit pattern is set underneath of PAS capacitor or it fixed by a metal or it contact with other component.

#### 11. Environmental of usage

In case PAS capacitor is used in the high humidity, alkaline or acid air, it may cause deterioration of its performance, electrolyte leak and short circuit by corrosion of outer can or lead terminal.

In addition, used in sudden temperature change or high humidity, it may cause deteriorating of its performance and electrolyte leak by dew condensation.

#### 12. Don't apply shock and vibration or pressure

PAS capacitor is sensitive to shock. Don't drop PAS capacitor and not apply strong pressure to a body, terminals and lead. Soldering part or lead terminal might be damaged if applying vibration, shock and stress such as pinch, tip, push and twist after installed.

#### 13. Soldering

If next each item is not minded, it may cause deteriorating of its performance, leakage, shortening lifetime.

- Don't contact solder iron to a cell body.
- Don't solder over solder conditions in the spec sheet.

#### 14. Cleaning condition when cleaning circuit-board after soldering

Cleaning may affect PAS capacitor. Consult us about cleaning conditions beforehand.

Some cleaning conditions cause detrimental influence.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

#### 15. Storage

Keep following cautions for storage of PAS capacitor.

- Don't store in the high temperature, the high humidity condition and a place where receiving direct sunlight. Storing PAS capacitor in the room condition of 10°C 35°C and less than 65% relative humidity is recommended. Sudden temperature change or high humidity may cause deteriorating of its characteristics and Soldering.
- Don't store PAS capacitor near water, salt water or oil, and it the dew condensation, gasified oil or salinity filled place.
- Don't store PAS capacitor in the hazardous gas (hydrogen sulfide, sulfurous, chlorine, ammonia, bromine, methyl bromine and etc).
- Don't fumigate by halogen fumigant.
- Don't store PAS capacitor near acid or alkaline solvent.
- Don't store PAS capacitor in a place where exposed to ozone, ultraviolet or x-ray.
- Don't store PAS capacitor in a place where vibration and shock might occur in.

#### 16. Disposal

Dispose PAS capacitor in accordance with local and country rules and regulations.

#### 17. Usage

PAS capacitor is developed on the assumption of the memory-backup & RTC for usage of information & communication equipment, home electronics, audio & visual equipment, office equipment and etc. Consult us about using high reliability and safety required products such as medical equipment, transportation equipment, industrial equipment, flight / space equipment and emergency equipment.

#### 18. Other Notice

- Don't heat or throw PAS capacitor into fire.
- Don't short.
- Don't solder directly to a cell body.
- Don't open a body
- Don't deform.
- Don't apply pressure.