AC Filter 2-Stage









Description

- Line-filter in standard version
- 2 positions
- high attenuation

Approvals

- VDE Certificate Number: 40004673

- UL File Number: E72928

Characteristics

- Designed for increased requirements
- Protection against interference voltage from the mains Possible interferences generated in the equipment are strongly attenu-
- 2-stage line filter with increased attenuation
- For standard and industrial applications
- Suitable for use in equipment according to IEC/UL 60950

References

Alternative: Standard version

Weblinks

pdf datasheet, html-datasheet, General Product Information, Approvals, CE declaration of conformity, RoHS, CHINA-RoHS, REACH, Distributor-Stock-Check, Detailed request for product


Technical Data					
Ratings IEC	2 - 6A @ Ta 40 °C / 250 VAC; 50 Hz				
Ratings UL/CSA	2 - 6A @ Ta 40 °C / 125 VAC; 60 Hz				
Leakage Current	standard < 0.5 mA (250 V / 60 Hz)				
Dielectric Strength	> 1.7 kVDC between L-N				
	> 2.7 kVDC between L/N-PE				
	Test voltage (2 sec)				
Allowable Operation Temperature	-25 °C to 100 °C				
Climatic Category	25/100/21 acc. to IEC 60068-1				
Protection Class	Suitable for appliances with protection class I acc. to IEC 61140				
Terminal	Quick connect terminals 6.3 x 0.8 mm				
Material: Housing	Aluminum				

Line Filter	Standard Version, IEC 60939, UL 1283, CSA C22.2 no. 8
	Technical Details
MTBF	> 200'000h acc. to MIL-HB-217 F

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in **General Product Information**

Dimension

Case 09




1) Line

2) Load

Diagrams

Standard version



6 A


1) Line


2) Load

Attenuation Loss

Standard version

2 A





---- 50Ω differential mode _____ 50Ω common mode

All Variants

Rated Current [A]	Filter-Type	L [mH]	Cx (X2) [nF]	Cy (Y2) [nF]	R [MΩ]	Weight [g]	Housings	Order Number
2	Standard Version	2 x 3	100	4.7	0.5	140 g	09	5500.2043
6	Standard Version	2 x 0.8	100	2.2	0.5	140 a	09	5500.2044

Most Popular.

Availability for all products can be searched real-time:http://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER

Packaging unit

10 Pcs